

Declaration of compliance

With the legislation for materials and articles intended to come into

Contact with foodstuffs

We, Dampack International B.V., certify that food packaging films are produced only with components that fulfil the requirements on products, intended for use in direct contact with food, as described in the latest revisions of food contact regulations. Polyolefins are supplied to Dampack International B.V. in compliance with:

EC:

- Framework Regulation (EC) No. 1935/2004 of the European Parliament and of the Council of 27 October 2004 on materials and articles intended to come into contact with food article 3, 11(5), 15 and 17;
- Commission Regulation 10/2011/EC of 14 January 2011 on plastic materials and articles intended to come into contact with food; with subsequent amendments including 2025/351 of 21 February 2025;
- Regulation (EU) 2025/40 of the European Parliament and of the Council of 19 December 2024 on packaging and packaging waste (PPWR), amending Regulation (EU) 2019/1020 and Directive (EU) 2019/904, and repealing Directive 94/62/EC;
- Commission Regulation (EC) 2023/2006 of 22 December 2006 on good manufacturing practice (GMP) for materials and articles intended to come into contact with food; with subsequent amendments.
- Commission Regulation (EU) 2023/55 of 25 September 2023 amending Annex XVII to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as regards synthetic polymer microparticles.
- Commission Regulation (EU) 2024/3190 of 19 December 2024 on the use of bisphenol A (BPA) and other bisphenols and bisphenol derivatives with harmonised classification for specific hazardous properties in certain materials and articles intended to come into contact with food, amending Regulation (EU) No. 10/2011 and repealing Regulation (EU) 2018/213.

Netherlands:

- Regeling Verpakkingen- en gebruiksartikelen (Warenwet)

Additional information

- All products have to be stored under clean, dry and odourless conditions in original packaging
- Storage temperature for PS : 5 - 40°C
 for PP : 5 - 40°C
 for PET : 5 - 40°C

References:

Article no Dampack	Article no Supplier	Article description	Certificate no
440127		PP cups 280ml TRP + de TE 95mm TRP	Not available

Material: Thin-wall, hermetically sealed packaging – containers / lids made of Polypropylene (PP)

Products usage specification:

Containers with lids are suitable for dry, powdery, watery, acidic, fat, dairy, alcoholic and other products.

Containers with lids are suitable for contact with the hot filling (85°C - 95°C) and short-term use in the microwave up to 100°C for no longer than 15 min. Containers with lids are not suitable for long-term use in the microwave or for heating food in the oven.

Containers with lids must be tested under real conditions with the actual product before approval for use at high temperatures.

Recommended period of storage – 12 months after production date, storing in dry, closed premises at room or lower temperature in original packaging.

The above mentioned product does not contain any substances or products causing allergies or intolerances as listed in Annex II to **Regulation (EU) No. 1169/2011 of 25 October 2011**.

According to **Regulation (EC) No. 1935/2004** and **Regulation (EU) No. 10/2011** packaging does not pose a risk to human health, does not change the composition of food products, does not deteriorate the organoleptic properties of the food product.

<i>Analyte</i>	<i>Test conditions</i>	<i>Results ± U</i>
<i>Odor</i>	<i>100° C and 24 h 40° C</i>	<i>Not perceptible</i>
<i>Taste</i>		<i>Not perceptible</i>
<i>Protocol No.: Ch3338 (2026-04-09), Ch1950 (2026-03-04), Ch5412 (2025-06-12).</i>		
<i>The IML labels have a specific characteristic smell which does not affect the safety of the product in the final decorated packaging. Products must be tested under real conditions before use.</i>		

Overall migration limits (OML) are less than 10 mg/dm², determined in accordance with the tests carried out following Regulation (EC) No. 10/2011. Conformity tests are carried out applying area to weight ratio: **6 dm² for 1 kg of food**.

<i>Analyte</i>	<i>Test conditions</i>	<i>Unit</i>	<i>Results ± U</i>		<i>Limit</i>
			<i>from</i>	<i>to</i>	
<i>Into 10% ethanol (A)</i>	<i>10 days 40°C</i>	<i>mg/dm²</i>	<i><0,3</i>	<i>4,3±1,1</i>	<i>≤10</i>
<i>Into 3% acetic acid (B)</i>			<i>< 0,3</i>	<i>5,9±1,2</i>	
<i>Into 20 % ethanol (C)</i>			<i><1,0</i>		
<i>Into 50 % ethanol (D1)</i>			<i>< 0,3</i>		
<i>Into poly (2,6-diphenyl-p-phenylene oxide) (E)</i>			<i>1,0±1,0</i>		
<i>Into Vegetable oil (D2)</i>			<i>4,0±2,0</i>		
<i>Into 95 % ethanol (D2)</i>			<i><0,3</i>	<i>4,4±1,1</i>	
<i>Isooctane (D2)</i>	<i>2 days 20°C</i>	<i>mg/dm²</i>	<i>< 0,3</i>	<i>7,0±1,4</i>	
<i>Protocol no.: Ch1949 (2026-03-23), 631081/25VIL/Z1 (2025-09-22), Ch5410 (2025-06-27), Ch5409 (2025-06-27), Ch5400 (2025-06-18), Ch5415 (2025-06-18), Ch5414 (2025-06-18), Ch5413 (2025-06-13), Ch5398 (2025-06-12).</i>					

<less than test method determination limit

Only monomers, additives and other starting substances, listed in the **Annex I of the Regulation (EU) No. 10/2011** are used in production of the products. The final products could contain some other substances for which a specific migration limit (SML) is established. The information is based on the documents provided by the manufacturers or raw materials, color masterbatches and IML labels:

PM Ref.: 95360	1,3,5-tris(3,5-di-tert-butyl-4-hidroksibenzil)-1,3,5-triazin-2,4,6(1H,3H,5H)-trione	SML: 5 mg/kg
PM Ref.: 38550	bis(4-propilbenziliden) propilsorbitol	SML: 5 mg/kg
-	aluminium	SML: 1 mg/kg
PM ref.: 38560	2,5-bis(5-tert-butyl-2-benzoksazolil) thiophene	SML: 0,6 mg/kg
PM ref.: 68320	Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl) propionate	SML: 6 mg/kg
PM ref.: 18100, 55920	Glycerol	-
PM ref.: 55910	Glycerides	SML: 60 mg/kg
PM ref.: 38820	3,9-Bis(2,4-di-tert-butylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspir[5.5]undecan	SML: 0,6 mg/kg
PM ref.: 39815	9,9-bis (metoksimetil) fluorene	SML: 0,05 mg/kg
PM ref.: 21130	Methyl methacrylate	SML: 6 mg/kg
PM ref.: 94560	Triisopropanolamine	SML: 5 mg/kg
PM ref.: 95360	1,3,5-Tris-1,3,5-triazinane-2,4,6-trione	SML: 5 mg/kg
PM ref.: 83595	Tetrakis (2,4-di-tert-butylphenyl) 4,4- biphenyldiphosphonite	SML: 18 mg/kg
PM ref.: 18820	Heksene	SML: 3 mg/kg
PM ref.: 26140	1,1- Difluoroethylene	SML: 5 mg/kg
PM ref.: 10690	acrylic acid	SML: 6 mg/kg
PM ref.: 14020	4-tert- Butylphenol	SML: 0,05 mg/kg
PM ref.: 19960	Maleic anhydride	SML: 30 mg/kg
PM ref.: 22660	1-Octene	SML: 15 mg/kg
PM ref.: 25120	Tetrafluoroethylene	SML: 0,05 mg/kg
PM ref.: 18430	Hexafluoropropylene	SML: 0,01 mg/kg
PM ref.: 15130	1-Decene	SML: 0,05 mg/kg
PM ref.: 46720	2,6-Di-tert-butyl-4- ethylphenol	SML: 4,8 mg/kg
PM ref.: 92560	Tetrakis(2,4-di-tert-butylphenyl)-1,1-biphenyl-4,4'-diylbisphosphonite	SML: 18 mg/kg
PM ref.: 95280	Tris(4-tert-butyl-3-hydroxy-2,6-dimethylbenzyl) Isocyanurate	SML: 6 mg/kg
PM ref.: 74050	Phosphorous acid, mixed 2,4-bisphenyl and 4-phenyl triesters	SML: 10 mg/kg

The amount of heavy metals in the final product does not exceed limit values set in **Annex II of the Regulation (EC) No. 10/2011**:

Analyte	Test conditions	Unit	Results ±U	Limit
Aluminum	3% acetic acid 10 days 60°C	mg/kg	Not detected*	1
Antimony			Not detected*	0,04
Arsenic			Not detected*	-
Barium			0,011±0,002	1
Lead			Not detected*	-
Cadmium			Not detected*	0,002
Calcium			1,89 ± 0,38	60
Chromium			Not detected*	0,01
Cobalt			Not detected*	0,02
Iron			Not detected*	48
Europium			Not detected*	0,05
Gadolinium			Not detected*	0,05
Potassium			Not detected*	60
Copper			Not detected*	5
Lanthanum			Not detected*	0,05
Lithium			Not detected*	0,6
Magnesium			Not detected*	60
Manganese			Not detected*	0,6
Sodium			Not detected*	60
Nickel			Not detected*	0,02
Mercury			Not detected*	-
Terbium			Not detected*	0,05
Zinc			Not detected*	5
Sum La/Eu/Gd/Tb			Not detected*	0,05
Protocol No.: 2026L08006/1 (2026-04-01), 631082/25/VIL (2025-09-08).				

**less than test method determination limit*

Total concentration of lead, cadmium, mercury and hexavalent chrome (Pb, Cd, Hg, Cr(VI)) in the products does not exceed maximum allowable limit – 100 mg/kg of product weight according to **Regulation (EU) 2025/40 of the European Parliament and of the Council**.

<i>Analyte</i>	<i>Test conditions</i>	<i>Unit</i>	<i>Results ± U</i>	<i>Limit</i>
<i>Sum of heavy metals</i>	<i>10 days 60°C</i>	<i>mg/kg</i>	<i>Not detected*</i>	<i>≤100</i>
<i>Protocol No.: 2026L08006/1 (2026-04-01), 631082/25/VIL (2025-09-08).</i>				

**less than test method determination limit*

According to **Commission Regulation (EU) 2024/3190**, the packaging does not contain bisphenol A (BPA), per- and polyfluoroalkyl substances (PFAS) or their concentration does not exceed the limit values set out in **Regulation (EU) 2025/40 of the European Parliament and of the Council**. Tests performed to determine compliance:

<i>Analyte</i>	<i>Test conditions</i>	<i>Unit</i>	<i>Results ± U</i>	<i>Limit</i>
<i>Bisphenol A (BPA)</i>	<i>4 h 80 °C and 20 h 60 °C</i>	<i>µg/kg</i>	<i>Not detected</i>	<i>-</i>
<i>The sum of PFAS</i>	<i>2 h 60 °C</i>	<i>µg/kg</i>	<i>Not detected*</i>	<i>≤250 ppb (µg/kg)</i>

Protocol No.: 2026L08006/1 (2026-04-01).

Functional barrier	Not used
Recycled plastics	Not used
UV protection	Not used

Dual use additives	Substances also authorized as direct food additives ("Dual use additives") are either not used for the manufacturing of PP, kind of not migrating, or only present in quantities that in case of their migration don't allow relevant contribution to exceed of the limits as set in the Regulation 10/2011/EC .
---------------------------	---

Listed chemical materials are not used in the manufacture of the raw materials/other materials and are not expected to be present in final products. However, final product has not been tested for these chemical materials:	Aromatic amines Formaldehyde Melamine Polyvinyl chloride (PVC) Mineral oil aromatic hydrocarbons (MOAH) Phthalates Allergens Brominated flame retardants
The product does not contain or is not used:	BADGE, NOGE, BFDGE Latex

The Plastic **PP** packaging mentioned above **is suitable for recycling**: Container, lid, - 100% PP (mono-material).

The following Dual Use Additives might be included:

E470a
 E471
 E572
 E553b

This document of compliance is based on:

- Documentation from suppliers
- Global migration test
- Specific migration

It should be noted that the product has been tested for the abovementioned forms of usage and conditions. Therefore, it will be the sole responsibility of the downstream users to determine that the usage of the product complies with the information given in this document and is safe, lawful and technically suitable so that no change in flavour, taste or organoleptic properties occurs. In case the product will be used in a different manner than tested, the information in this declaration of compliance will not apply and the downstream users shall be responsible for the compliance with the legislation and regulations.

Werkendam, **11/05/2026**

A handwritten signature in blue ink, appearing to be 'C. Duizer', with a long horizontal stroke extending to the right.

Cindy Duizer - Damen
Dampack International B.V.