

15.ZVL.0400.0600.025.C32.HB**HDPE SACS****400 x 600 MM****DECLARATION DE CONFORMITE**

FPS-MULTIPRODUCTS N.V.

Barrage 107

B-8793 Sint-Eloois-Vijve



déclare que le produit suivant:

- n° d'article	: 15.ZVL.0400.0600.025.C32.HB	(ref. 37621)
- n° batch	: 3359 / xxx.xxx	
- description	: HDPE SACS	
- dimensions	: 400 x 600 MM	
- épaisseur	: 25 micron	
- couleur	: bleu	

est conforme aux exigences du règlement (CE) n° 1935/2004 du Parlement européen et du Conseil du 27 octobre 2004 concernant les matériaux et objets destinés à entrer en contact avec des denrées alimentaires et abrogeant les directives 80/590/CEE et 89/109/CEE, et si d'application, à celles de la législation nationale dans les conditions d'utilisation.

Cet article est également conforme au règlement (EC) n° 10/2011 et (EC) n° 2023/2006, et aux exigences actuelles du règlement (EC) n° 2025/40 (PPWR).

Conditions d'utilisation

- type denrée :	aliments gras, acides, aqueux, secs
- température d'utilisation :	-18°C à +70°C (max 2h), +100°C (max 15min)
- temps de conservation :	min. 2 ans
- stockage :	à stocker à l'abri de la lumière, dans un endroit frais et bien ventilé

Waregem,
27.08.26Stefaan Vanassche
directeur délégué

15.ZVL.0400.0600.025.C32.HB**HDPE SACS****400 x 600 MM****FICHE TECHNIQUE**

FICHE TECHNIQUE			
Matière de base	HDPE (98%)	High Density Polyéthylène	
		100 % de matériel nouveau	
		peut être utilisé en contact avec les denrées alimentaires	
		ne contient ni de cadmium ni d'autres métaux lourds	
	Colorisation (2%)	Bleu	
		peut être utilisé en contact avec les denrées alimentaires	
		ne contient ni de cadmium ni d'autres métaux lourds	
Description	sac / HDPE / 400x600 mm / 25 µm / bloc / bleu		
		dimensions	400 x 600 mm
		épaisseur	25 micron
Emballage	1 carton	1.500 pc	
		avec étiquette "FPS" (n° batch + n° lot)	
	1 palette	60.000 pc	
Poids (net)	1 pc	11,52 g	
	1 carton	17,28 kg	
Environnement	100 % recyclable		

15.ZVL.0400.0600.025.C32.HB**HDPE SACS****400 x 600 MM****CERTIFICAT**

HDPE blue	DECLARATION OF COMPLIANCE	

This is a Declaration Of Compliance for above mentioned article(s), which are intended to come into contact with foodstuffs.

37606 HD 58/21,5x63+3 18my 2%l.bl CW
 37609 HD 58/21,5x78+3 18my 2%l.bl CW
 37612 HD 58/21,5x63+3 12my 2%l.bl CW
 37615 HD 58/21,5x57+3 30my 2%l.bl CW
 37616 HD 58/21,5x57+3 10my 2%l.bl CW
 37624 HD 58/21,5x63 10my 2%l.bl CW
 37676 HD 58/21,5x57 8my 2%l.bl CW
 37677 HD 58/21,5x57+3 8my 2%l.bl CW
 37678 HD 58/21,5x57 10my 2%l.bl CW
 34336 HD 58/21,5x78+3 12my 2%l.bl CW
 37618 HD 50x85cm 40my 2%l.blauw
 37620 HD 40x60+3 20my 2%l.blauw
 37621 HD 40x60cm +3 25my 2%l.blauw

We declare that all components of this/these article(s) are in compliance with the following directives/regulations:

- ☐ Directive 94/62/EC
- ☒ Regulation EU 1935/2004
- ☐ Directive 2002/95/EC RoHS
- ☒ BRC
- ☒ Regulation EU 10/2011
- ☒ Directive 2023/2006/EC (GMP)

This/these products were tested under the intended use of the products to come into contact with foodstuffs. They were therefore tested as stated below.

This/these products were tested with the following simulants during migration tests:

Simulant	Description	Tested
A	Ethanol 10%	☒
B	Acetic Acid 3%	☒
C	Ethanol 20%	☐
D1	Ethanol 50%	☐
D2	Vegetable Oil	☒
E	Poly (2,6-diphenyl-p-phenyl)	☐
Other		☐

These tests were conducted under the following conditions:

Test time + temperatures	Simulants	Tested	Intended use
2 hours at 70 °C		☐	

PAGINA 1 VAN 3

15.ZVL.0400.0600.025.C32.HB**HDPE SACS****400 x 600 MM****CERTIFICAT**

HDPE blue	DECLARATION OF COMPLIANCE	

1 hour at 100 C		☐	Direct, permanent contact with foodstuffs
10 days at 20 C		☐	
10 days at 40 C	All of the above	☒	Direct, permanent contact with foodstuffs

The ratio of the area of the food contact material to the volume used amounts $<3 \text{ mg/dm}^3$, which states that the material of article complies with the requirements on OML (10 mg/dm^3).

- ☒ There are no monomere(s) and or additives used which are subject to SML or QM restrictions
- ☒ There are no dual use additives used which are subject to SML or QM restrictions
- ☐ There are monomere(s) and or additives used which are subject to SML or QM restrictions
- ☐ There are dual use additives used which are subject to SML or QM restrictions

PM REF N/CAS	SML in mg/kg food	Dual use	
		☐ No	☐ Yes
		☐ No	☐ Yes

The calculated or analysed value(s) show **NO** indications that the SML or QM restrictions are exceeded. If specific information about these components is required, it will be provided under the signs of a confidentiality statement only.

- ☐ We declare that in above mentioned product a functional barrier-layer is used in a multi-layer product which complies with the requirements of Article 13.2, 13.3, 13.4 or Article 14.2, 14.3 of Regulation EU 10/2011.
- ☒ These plastics are guaranteed BPA free.
- ☒ We also declare that, in case of a printed item, the used ink on the packaging material is always printed on the outside of the product and is in accordance with the regulation EU 1935/2004

PAGINA 2 VAN 3

15.ZVL.0400.0600.025.C32.HB**HDPE SACS****400 x 600 MM****CERTIFICAT**

HDPE blue	DECLARATION OF COMPLIANCE	

This declaration is valid from the below mentioned date and will be renewed only when and if there are significant changes in the product, its components, processing practices which mutates some essential requirements of the conformity or if the mentioned legislative references are modified and updated and require new conformity evaluations.
The latest version of this declaration always substitutes prior versions.

Date : 01-04-2025

Signature:



R.H.M. Suiskens
Managing Director

*This statement is based on our current knowledge and covers commercial products supplied by
at the date of issue. Since conditions of use are outside control of
makes no warranties and assumes no liability in connection with any use of this information.*

PAGINA 3 VAN 3